

TECHNICAL INFORMATION

Main Hall Configuration

MAXIMUM AMOUNT OF STAGE AVAILABLE- WIDTH: 80 FEET
MAXIMUM AMOUNT OF STAGE AVAILABLE- DEPTH: 40 FEET
MAXIMUM AMOUNT OF STAGE AVAILABLE- HEIGHT: 56 INCHES

All equipment must be installed, operated, and removed by assigned Civic Center production personnel only.

Type and construction of stage:

- SICO MODEL 1754-472
- Portable Stage (3 x 8 step/bridge- interlocking pieces)
- Guard rails, stage skirts, and 2 sets of steps available with handrails.
- Handicap ramp can be attached to stage when necessary.

Ceiling height:

- 35 feet (from floor to steel)
- Open steel structure
- Rigging must be done from the steel on a scissorlift or manlift.

Motors:

- 12- 1 ton lodestar
- 10- 5 ton lodestar

Triangular truss:

- 25- 10 foot sections available

Road Show power availability:

- Located house left/ stage right
- 1- 200 amp --- 120/208 (3 Phase)
- 1- 400 amp --- 120/208 (3 Phase)
- 1- 600 amp --- 120/208 (3 Phase)
- Additionally, there are up to 6- 100 amp floor switches available backstage for theatrical setup.

Number of follow spots:

- 4 Lycian 1275 Super Arc- Long Throw
- 2 are hung from the bottom of catwalk in the center of building and 2 are available to be placed elsewhere.

Revised: 9/24/10

Houma-Terrebonne Civic Center

House lights available:

- 9- 1000 watt far cyc
- 12- 1000 watt 6 inch fresnels
- 6- 1000 watt fresnel and 6- 750 watt zoom lekos
- 12- 3 circuit border strips
- 12 source 4 lekos 10 degree 575 watt bulbs @ front of house.
- ETC Controller- one scene w/96 channels or two scenes w/48 channels.
- 36 PAR 64 fixtures w/ color frames and 1k MFL lamps.

Masking curtains:

- 16- 12 foot wide x 30 foot long panels
- Color: high black velour

House curtains available:

Back curtains and border consisting of:

- 1 house drape & border
- 5 pairs of legs
- 2 traveler curtains
- 1 blue cyc
- 3- 40 feet x 48 feet borders
- 2 mid-stage curtains and border
- 5 pairs of legs
- 16- 12 foot wide x 30 foot long panels of masking curtains
- Color: black velour

Distance between rows:

- 20 inches

Seat width:

- 20 inches

Loading Dock:

- Space for three trucks
- Additional parking space in loading area or can back into facility and unload directly on the stage.

Loading Door:

- 18 feet wide x 18 feet high

Dressing Room Assignments & Capacity:

Star #1 & Star #2- Specifications for each as follows:

- 1-2 people
- 7 feet wide x 10 feet long (70 square feet)
- Air conditioned
- Lighted make-up mirrors
- Attached restroom facilities with shower

Chorus #1 & Chorus #2- Specifications for each as follows:

- 18-20 people
- 18 feet wide x 24 feet long (432 square feet)
- Air conditioned
- Lighted make-up mirrors
- 14 lockers
- Attached restroom facilities with shower

Chorus #3 & Chorus #4- Specifications for each as follows:

- 10-15 people
- 13 feet wide x 24 feet long (312 square feet)
- Air conditioned
- Lighted make-up mirrors
- 14 lockers
- Attached restroom facilities with shower

Paging and Clear Com available in various locations upon request

One washer / dryer connection available.

Additional Information for Theatrical Productions

Number of proscenium openings:

- 1

Maximum proscenium opening:

- 40 feet wide x 32 feet deep

Crossover upstage depth:

- 8 feet wide

Height of Truss System:

- 35 feet

Fly rail located stage left:

Weights:

- 22 lbs. each
- 10,000 lbs. available
- (Note- due to placement of fly rail system, only 4' stage left offstage wing space exists)

Number of sets of lines:

- 20